

1           1.    A method comprising:  
2                storing a user profile for each of a plurality of  
3 users on a first processor-based system; and  
4                automatically creating a version of the profile  
5 for use on the second processor-based system.

1           2.    The method of claim 1 including automatically  
2 creating a version of the profile in response to the user  
3 logging on to the first processor-based system.

1           3.    The method of claim 2 including automatically  
2 creating a version of the profile for use on a portable  
3 processor-based system.

1           4.    The method of claim 1 including automatically  
2 compiling a version of a user profile for a web browser  
3 session and storing said profile at the end of said web  
4 browser session.

1           5.    The method of claim 1 including receiving an  
2 updated user profile from the second processor-based  
3 system.

1           6.    A method comprising:

2           storing a profile for the current user of a  
3 second processor-based system;  
4           updating said profile based on the current user's  
5 activities on the second processor-based system; and  
6           automatically forwarding the updated profile to a  
7 first processor-based system.

1           7. The method of claim 1 including automatically  
2 forwarding the profile from the second processor-based  
3 system to the first processor-based system before powering  
4 down the second processor-based system.

1           8. The method of claim 6 wherein storing a profile  
2 includes automatically compiling a web browser profile  
3 based on activities of the user on the second processor-  
4 based system.

1           9. The method of claim 6 including automatically  
2 receiving said user profile from a first processor-based  
3 system.

1           10. The method of claim 9 further including  
2 automatically receiving said profile from said first  
3 processor-based system in response to a log on to said  
4 first processor-based system.

1        11. The method of claim 6 including automatically  
2 transmitting said user profile to a first processor-based  
3 system in response to a command to power down said second  
4 processor-based system.

1        12. An article comprising a medium storing  
2 instructions that enable a processor-based system to:  
3                store a user profile for each of a plurality of  
4 users on the processor-based system; and  
5                automatically create a version of the user  
6 profile for use on a second processor-based system.

1        13. The article of claim 12 further storing  
2 instructions that enable the processor-based system to  
3 automatically create the version of the profile in response  
4 to the user logging on to the processor-based system.

1        14. The article of claim 13 further storing  
2 instructions that enable the processor-based system to  
3 automatically create a version of a web browser profile in  
4 response to the user logging on to the processor-based  
5 system through the second processor-based system.

1        15. The article of claim 12 further storing  
2 instructions that enable the processor-based system to  
3 automatically compile a version of the user profile for a

4 web browser session and store said profile at the end of  
5 said web browser session.

1 16. The article of claim 12 further storing  
2 instructions that enable the processor-based system to  
3 receive an updated user profile from a second processor-  
4 based system.

1 17. An article comprising a medium storing  
2 instructions that enable a second processor-based system  
3 to:  
4 store a user profile for the current user of the  
5 second processor-based system;  
6 update said profile based on the current user's  
7 activities on the second processor-based system; and  
8 automatically forward the updated profile to a  
9 first processor-based system.

1 18. The article of claim 17 further storing  
2 instructions that enable the second processor-based system  
3 to automatically forward the profile before powering down  
4 the portable processor-based system.

1 19. The article of claim 17 further storing  
2 instructions that enable the second processor-based system  
3 to automatically create a version of a web browser profile

4 based on activities of the user on the second processor-  
5 based system.

1 20. The article of claim 17 further storing  
2 instructions that enable the second processor-based system  
3 to automatically receive said updated profile from a first  
4 processor-based system.

1 21. The article of claim 20 further storing  
2 instructions that enable the second processor-based system  
3 to automatically receive a web browser profile from the  
4 first processor-based system in response to a log on to the  
5 first processor-based system.

1 22. The article of claim 17 further storing  
2 instructions that enable the second processor-based system  
3 to automatically transmit the updated profile to a first  
4 processor-based system in response to a command to power  
5 down the second processor-based system.

1 23. A system comprising:  
2 a processor; and  
3 a storage coupled to the processor, the storage  
4 storing instructions that enable the processor to store a  
5 web browser profile for each of the plurality of users of

6 the system and automatically provide the web browser  
7 profile for a user to a second processor-based system.

1 24. The system of claim 23 including a wireless  
2 interface to communicate with the second processor-based  
3 system.

1 25. A system comprising:  
2 a processor; and  
3 a storage coupled to the processor, the storage  
4 storing instructions that enable the processor to store a  
5 web browser profile for the current user of the system,  
6 update the profile based on the current user's activities  
7 on the system, and automatically forward the updated  
8 profile to a second processor-based system.

1 26. The system of claim 25 wherein said system is a  
2 battery powered system.

1 27. The system of claim 25 wherein said system  
2 communicates with said second processor-based system using  
3 a wireless interface.

1 28. The system of claim 25 wherein said storage  
2 stores instructions that enable the processor to

3 automatically compile a web browser profile based on  
4 activities of the user on the system.

1 29. The system of claim 25 wherein said storage  
2 stores instructions that enable the processor to  
3 automatically transmit said web browser profile to the  
4 second processor-based system in response to a command to  
5 power down the processor-based system.